

MW-PARC : Research Working Group

Literature pertinent to conservation objectives for amphibians and reptiles.

Sample key words:

Taxonomic – reptile, amphibia(n), frog, salamander, anura(n), caudata, toad, caecilia(n), newt, turtle, Chelonia(n), tortoise, tadpole, larva(e), crocodilia(n), squamate, snake, lizard, sauria(n), ophidia(n), amphisbaenia(n), tuatara.

Topic – alteration, distribution, exotic, introduced, pathogen, toxicant, resource, pasture, grazing, livestock, population viability analysis (PVA), maintenance, technology, survey.

Citations are organized by primary topic, and alphabetized by author's surname.

A. Biogeography

- Asplund, K. K. 1974. Body size and habitat utilization in whiptail lizards (*Cnemidophorus*). *Copeia* **1974**:695-703.
- Baltosser, W.H. 1990. Seasonal occurrence and habitat utilization by lizards in Southwestern New Mexico. *Southwest. Nat.* **35**:377-384.
- Bider, J. R., and K. A. Morrison. 1981. Changes in toad (*Bufo americanus*) responses to abiotic factors at the northern limit of their distribution. *Amer. Midl. Nat.* **106**:293-304.
- Bock, J. H., C. E. Bock, and R. J. Fritz. 1981. Biogeography of Illinois reptiles and amphibians: A numerical analysis. *Amer. Midl. Nat.* **106**:258-270.
- Bock, C.E., and H.M. Smith. 1982. Biogeography of North American amphibians: A numerical analysis. *Transactions of the Kansas Academy of Science* **85**:177-186.
- Bock, J.H., C.E. Bock, and R.J. Fritz. 1981. Biogeography of Illinois reptiles and amphibians: A numerical analysis. *American Midland Naturalist* **106**:258-270.
- Brodman, R. 1995. Annual variation in breeding success of two syntopic species of *Ambystoma* salamanders. *Journal of Herpetology* **29**:111-113
- Brodman, R. 2002. A 12 year study monitoring two populations of mole salamanders in northeast Ohio. *J Ohio Academy of Science* **102**:123-127.
- Brodman, R., S. Cortwright, and A. Resetar. 2002. Historical changes of reptiles and amphibians of Northwest Indiana fish and wildlife properties. *American Midland Naturalist* **147**:135-144.
- Brown, J.H. 1977. Turnover rates in insular biogeography: Effect of immigration on extinction.

Ecology **58**:445-449.

- Butler, B.O. 1995. Early post-emergent behavior and habitat selection in hatchling Blanding's turtles, *Emydoidea blandingii*, in Massachusetts. *Chelonian Conservat. Biol.* **1**:187-196.
- Case, T.J. 1991. The role of interspecific competition in the biogeography of island lizards. *Trends Ecol. Evol.* **6**.
- Clarke, R.F. 1958. An ecological study of reptiles and amphibians in Osage County, Kansas. *Emporia St. Res. Stud.* **7**:5-52.
- Cline, G.R. and R. Tumblison. 2001. Distribution and relative abundance of the Oklahoma salamander (*Eurycea tynerensis*). *Proceedings of the Oklahoma Academy of Science*. digital.library.okstate.edu.
- Collins, J.P. 1981. Distribution, habitats, and life history variation in the tiger salamander, *Ambystoma tigrinum*, in east-central and southeast Arizona. *Copeia* **1981**:666-675.
- Cordes, J.E. 1989. Distribution and habitat of the parthenogenetic whiptail lizard, *Cnemidophorus neomexicanus* (Sauria: Teiidae), in Texas. *Texas J. Sci.* **41**:425-428.
- de Vlaming, V. L., and R. B. Bury. 1970. Thermal selection in tadpoles of the tailed-frog, *Ascaphus truei*. *J. Herpetol.* **4**:179-189.
- Demaynadier, P.G. and M.L. Hunter. 1998. Effects of silvicultural edges on the distribution and abundance of amphibians in Maine. *Conservation Biology* **12**:340-352.
- Donovan, M.F., R.D. Selitsch, and E.J. Routman. 2000. Biogeography of the Southeastern United States: A comparison of salamander phylogeographic studies. *Evolution* **54**:1449-1456.
- Dowling H.G. 1957. Amphibians and reptiles in Arkansas. *Occ. Pap. Univ. Arkansas Mus.* **3**:4-51.
- Froese, A. D. 1978. Habitat preferences of the common snapping turtle, *Chelydra s. serpentina* (Reptilia, Testudines, Chelydridae). *J. Herpetol.* **12**:53-58.
- Guthrie, J.E. 1926. The snakes of Iowa. *Bull. Iowa St. Coll. Agricult. Mechan. Arts* **239**:146-192.
- Heatwole, H. 1961. Habitat selection and activity of the wood frog, *Rana sylvatica* Le Conte. *Amer. Midl. Nat.* **66**:301-313.
- Heatwole, H., N. Mercado, and E. Ortiz. 1965. Comparison of critical thermal maxima of two species of Puerto Rican frogs of the Genus *Eleutherodactylus*. *Physiol. Zool.* **38**:1-8.
- Hecnar, S.J., G.S.Casper, R.W.Russell, D.R.Hecnar, and J.N.Robinson. 2002. Nested species assemblages of amphibians and reptiles on islands in the Laurentian Great Lakes. *Journal of Biogeography* **29**:475-489.

- Henle, K. 1991. Life history patterns in lizards of the arid and semi-arid zone of Australia. *Oecologia* **88**:347-358.
- Heyer, W. R. 1976. Studies in larval amphibian habitat partitioning. *Smithsonian Contr. Zool.* **242**: 1-27.
- Jones, K.B. 1990. Habitat use and predatory behavior of *Thamnophis cyrtopsis* (Serpentes: Colubridæ) in a seasonally variable aquatic environment. *Southwest. Nat.* **35**:115-122.
- Kaiser, H., G.S. Casper and N. Bernstein (eds). Investigating Amphibian Declines: Proceedings of the 1998 Midwest Declining Amphibian Conference. *The Journal of the Iowa Academy of Science*, Special Issue 107 (3,4).
- Kofron, C.P. 1978. Foods and habitats of aquatic snakes (Reptilia, Serpentes) in a Louisiana swamp. *J. Herpetol.* **12**:543-554.
- Lannoo, M.J. (ed.). *The Status and Conservation of Midwest Amphibians*. Iowa University Press, Iowa City, Iowa.
- Litzgus, J.D. and R.J. Brooks. 2000. Habitat and temperature selection of *Clemmys guttata* in a Northern population. *Journal of Herpetology* **34**:178-185.
- Lombard, A.T. 1995. Where should nature reserves be located in South Africa? A snake's perspective. *Conservat. Biol.* **9**:363-372.
- M'Closkey, R.T. 1990. Tree lizard distribution and mating system: The influence of habitat and food resources. *Can. J. Zool.* **68**:2083-2089.
- Mitchell, J. C. 1977. Geographic variation of *Elaphe guttata* (Reptilia: Serpentes) in the Atlantic coastal plain. *Copeia* **1977**:33-41.
- Moermond T.C. 1979. The influence of habitat structure on *Anolis* foraging behavior. *Behavior* **70**: 147-167.
- Owen, J.G. 1989. Patterns of herpetofaunal species richness: Relation to temperature, precipitation, and variance in elevation. *Journal of Biogeography* **16**:141-150.
- Parker, M.V. 1937. Some amphibians and reptiles from Reelfoot Lake. *J. Tenn. Acad. Sci.* **12**:60-86.
- Parker, W.S. 1984. Immigration and dispersal of slider turtles *Pseudemys scripta* in Mississippi farm ponds. *Amer. Midl. Nat.* **112**:280-293.
- Pauley, T. K. 1978. Temperature and isolation as factors regulating the partitioning of habitat of two sympatric *Plethodon* species. *Proc. West Virginia Acad. Sci.* **50**:77-84.

- Peters, J.A. 1960. The snakes of Ecuador: A checklist and key. *Bull. Mus. Comp. Zool.* **122(9)**: 491-541.
- Petren, K., and T.J. Case. 1997. A phylogenetic analysis of body size evolution and biogeography in Chuckwallas (*Sauromalus*) and other Iguanines. *Evolution* **51**:206-219.
- Quinn, H. 1993. Estimated number of snake species that can be managed by species survival plans in North America. *Zoo Biol.* **12**:243-255.
- Reinert, H.K. 1984. Habitat variation within sympatric snake populations. *Ecology* **65**:1673-1682.
- Rose, B. R. 1976. Habitat and prey selection of *Sceloporus occidentalis* and *Sceloporus graciosus*. *Ecology* **57**:531-541.
- Rowe, J.W. and E.O. Moll. 1991. A radiotelemetric study of activity and movements of the Blanding's turtle (*Emydoidea blandingi*) in Northeastern Illinois. *Journal of Herpetology* **25**: 178-185.
- Schmidt, K.P. 1944. Amphibians and reptiles of the Big Bend region of Texas. *Field Mus. Nat. Hist. Zool. Ser.* **29**:75-96.
- Shaffer, H. B. 1978. Relative predation pressure on salamanders (Caudata: Plethodontidae) along an altitudinal transect in Guatemala. *Copeia* **1978**:268-272.
- Shine, R. 1985. A radiotelemetric study of movements, thermoregulation and habitat utilization of arafura filesnakes (Serpentes: Acrochordidæ). *Herpetologica* **41**:351-361.
- Shine, R. 1996. Large snakes in a mosaic rural landscape: The ecology of carpet pythons *Morelia spilota* (Serpentes: Pythonidæ) in coastal eastern Australia. *Biol. Conservat.* **76**:113-122.
- Skelly, D.K., E.E.Werner, and S.A.Cortwright. 1999. Long-term distributional dynamics of a Michigan amphibian assemblage. *Ecology* **80**:2326-2337.
- Stein, K.J. 1994. Some new distribution records for the snakes of Egypt (Squamata: Serpentes). *Bull. Maryland Herpetol. Soc.* **30**:15-26.
- Stevens, G.C. 1989. The latitudinal gradient in geographical range: how so many species coexist in the Tropics. *The American Naturalist* **133**:240-256.
- Taylor, E. H. 1950. Ceylonese lizards of the Family Scincidae. *Univ. Kansas Sci. Bull.* **33**:481-518.
- Taylor, E. H. 1962. New oriental reptiles. *Univ. Kansas Sci. Bull.* **43**:209-263.
- Taylor, E. H. 1970. The turtles and crocodiles of Thailand and adjacent waters. *Univ. Kansas Sci. Bull.* **449**:87-179.

- Teixeira, J., and J.W. Arntzen. 2002. Potential impact of climate warming on the distribution of the Golden-striped salamander, *Chioglossa Iusitanica*, on the Iberian Peninsula. *Biodiversity and Conservation* **11**:2167-2176.
- Viertel, B. 1984. Habitat, melanin pigmentation, oral disc, oral cavity and filter apparatus of the larvæ of *Baleaphryne muletensis*. Pages 21-43 in H. Hemmer and J.A. Alcover. Ciutat de Mallorca, Separata.
- Webb, J.K. 1997. Out on a limb: Conservation implications of tree-hollow use by a threatened snake species (*Hoplocephalus bungaroides* : Serpentes, Elapidæ). *Biol. Conservat.* **81**:21-33.
- Webster, T. P. 1969. Ecological observations on *Anolis occultus* Williams and Rivero (Sauria, Iguanidae). *Breviora* **312**:1-5.
- Whiting, M.J. 1993. Spatial distribution of a population of Texas horned lizards (*Phrynosoma cornutum* : Phrynosomatidæ) relative to habitat and prey. *Southwest. Nat.* **38**:150-154.
- Woinarski, J.C.Z. 1992. Gradient analysis of a tropical herpetofauna: Distribution patterns of terrestrial reptiles and amphibians in Stage III of Kakadu National Park, Australia. *Wildl. Res.* **19**:105-127.
- Zamudio, K.R., K.B. Jones, and R.H. Ward. 1997. Molecular systematics of short-horned lizards: biogeography and taxonomy of a widespread species complex. *Systematic biology* **46**:284-305.

B. Invasive Species

- Adams, M.J., C.A. Pearl, and B. Bury. 2003. Indirect facilitation of an anuran invasion by non-native fishes. *Ecology Letters* **6**:343-351.
- Allen, C.R., E.A. Forsys, K.G. Rice, and D.P. Wojcik. 2001. Effects of fire ants (Hymenoptera: Formicidae) on hatchling turtles and prevalence of fire ants on sea turtle nesting beaches in Florida. *Florida Entomologist* **84**:250-253.
- Bronmark, C. and P. Edenhamn. 1994. Does the presence of fish affect the distribution of tree frogs (*Hyla arborea*)? *Conservation Biology* **8**:841-845.
- Brown, R.M., D.H. Gist, and D.H. Taylor. 1995. Home range ecology of an introduced population of the European wall lizard *Podarcis muralis* (*Lacertillia*; *Lacertidae*) in Cincinnati, Ohio. *American Midland Naturalist* **133**:344-359.
- Bury, R.B. 1976. Introduced amphibians and reptiles in California. *Biol. Conservat.* **10**:1-14.

- Cadi, A. and P. Joly. 2003. Competition for basking places between the endangered European pond turtle (*Emys orbicularis galloitalica*) and the introduced red-eared slider (*Trachemys scripta elegans*). *Canadian Journal of Zoology* **81**:1392-1398.
- Fritts, T.H. 1998. The role of introduced species in the degradation of island ecosystems: A case history of Guam. *Annual Review of Ecology and Systematics* **29**:113-140.
- Gamradt, S.C. and L.B. Kats. 1996. Effects of introduced crayfish and mosquitofish on California newts. *Conservation Biology* **10**:1155-1162.
- Gamradt, S.C., L.B. Kats, and C.B. Anzalone. 1997. Aggression by non-native crayfish deters breeding in California newts. *Conservation Biology* **11**:793-796.
- Gillespie, G.R. 2001. The role of introduced trout in the decline of the spotted tree frog (*Litoria spenceri*) in south-eastern Australia. *Biol. Conservat.* **100**:187-198.
- Hasegawa, M. 1990. Ecological notes on the introduced population of the snake *Amphiesma vibakari* on Mujake-Jima, the Izu Islands, Japan. *Nat. Hist. Res.* **1**:81-84.
- Hayes, M.P., M.R. Jennings. 1986. Decline of ranid frog species in Western North America: are bullfrogs (*Rana catesbeiana*) responsible? *Journal of Herpetology*. **20**:490-509.
- Kats, L.B. and R.P. Ferrer. 2003. Alien predators and amphibian declines: Review of two decades of science and the transition to conservation. *Diversity and Distribution* **9**:99-110.
- Keisecker, J.M. 1997. Population differences in responses of red-legged frogs (*Rana aurora*) to introduced bullfrogs. *Ecology* **78**:1752-1760.
- Kiesecker, J.M. and A.R. Blaustein. 1998. Effects of introduced bullfrogs and smallmouth bass on microhabitat use, growth, and survival of native red-legged frogs (*Rana aurora*). *Conservation Biology* **12**:776-787.
- Komak, S. 2000. An assessment of the introduced mosquitofish (*Gambusia affinis holbrooki*) as a predator of eggs, hatchlings, and tadpoles of native and non-native anurans. *Wildlife Res.* **27**: 185-189.
- Lafferty, K.D. 1997. Predation on the endangered tidewater goby, *Eucyclogobius newberryi*, by the introduced African clawed frog, *Xenopus laevis*, with notes on the frog's parasites. *Copeia* **1997**:589-592.
- Lawler, S.P. 1999. Effects of introduced mosquitofish and bullfrogs on the threatened California red-legged frog. *Conservat. Biol.* **13**:613-622.
- Losos, J.B. 1993. Habitat use and ecological interactions of an introduced and a native species of *Anolis* lizard on Grand Cayman, with a review of the outcomes of anole introductions.

Ecologia **95**:525-532.

- Losos, J.B. 1996. Dynamics of range expansion by three introduced species of anolis lizards on Bermuda. *Journal of Herpetology* **30**:204-210.
- Maerz, J.C., J.M. Karazas, D.M. Madison, and B. Blossey. 2005. Introduced invertebrates are important prey for a generalist predator. *Diversity and Distributions* **11**:83-90.
- Moyle, P.B. 1973. Effects of introduced bullfrogs, *Rana catesbeianan*, on the native frogs of the San Joaquin Valley, California. *Copeia* **1973**:18-22.
- Pearman, P.B. 1995. Effects of pond size and consequent predator density on two species of tadpoles. *Oecologia* **102**:1-8.
- Phillips, B.L. 2003. Assessing the potential impact of cane toads on Australian snakes. *Conservat. Biol.* **17**:1738-1747.
- Phillips, B.L. 2004. Adapting to an invasive species: toxic cane toads induce morphological change in Australian snakes. *Proc. Nat. Acad. Sci.* **101**:17150-17155.
- Pillioid, D.S. and C.R. Peterson. 2001. Local and landscape effects of introduced trout on amphibians in historically fishless watersheds. *Ecosystems* **4**:322-333.
- Pyke, G.H. 2000. Factors influencing predation on eggs and tadpoles of the endangered green and golden bell frog *Litoria aurea* by the introduced plague minnow *Gambusia holbrooki*. *Australian Zoologist* **31**:496-505.
- Rissler, L.J. 2000. Spatial and behavioral interactions between a native and introduced salamander species. *Behav. Ecol. Sociobiol.* **48**:61-68.
- Rissler, L.J., A.M. Barber, H.M. Wilbur, and A.M. Baker. 2000. Spatial and behavioral interactions between a native and introduced salamander species. *Behavioral Ecology and Sociobiology* **48**:61-68.
- Rosen, P.C. 1995. Bullfrogs: Introduced predators in southwestern wetlands. Pages 452-454 in C. R. Schwalbe, editor. E.T. LaRoe, G.S. Farris, C.E. Puckett, P.D. Doran, and M.J. Mac, Our Living Resources: A Report to the Nation on the Distribution, Abundance, and Health of U.S. Plants, Animals, and Ecosystems.
- Savidge, J.A. 1987. Extinction of an island forest avifauna by an introduced snake. *Ecology* **68**:660-668.
- Savidge, J.A. 1991. Population characteristics of the introduced brown tree snake (*Boiga irregularis*) on Guam. *Biotropica* **23**:294-300.

- Schoener, T.W. and D.A. Spiller. 1999. Indirect effects in an experimentally staged invasion by a major predator. *The American Naturalist* **153**:347-358.
- Smith, D.C. 1983. Factors controlling tadpole populations of the Chorus Frog (*Pseudacris Triseriata*) on Isle Royale, Michigan. *Ecology* **64**:501-510.
- Suarez, A.V., J.Q. Richmond, and T.J. Case. 2000. Prey selection in horned lizards following the invasion of Argentine ants in Southern California. *Ecological Applications* **10**:711-725.
- Tyler, T.J., W.J. Liss, R.L. Hoffman, and L.M. Ganio. 1998. Experimental analysis of trout effects on survival, growth, and habitat use of two species of Ambystomatid salamanders. *Journal of Herpetology* **32**:345-349.
- Whittier, J.M. 1996. Reproductive patterns of a biologically invasive species: The brown tree snake (*Boiga irregularis*) in eastern Australia. *J. Zool., Lond.* **238**:591-597.
- Williamson, I. 1999. Competition between the larvae of the introduced cane toad *Bufo marinus* (Anura: Bufonidae) and native anurans from the Darling Downs area of southern Queensland. *Australian J. Ecol.* **24**:636-643.

C. Disease Impact

- Brunner, J.L. 2004. Intraspecific reservoirs: Complex life history and the persistence of a lethal ranavirus. *Ecology* **85**:560-566.
- Daszak, P., A.A. Cunningham, and A.D. Hyatt. 2003. Infectious disease and amphibian population declines. *Diversity and Distributions* **9**:141-150.
- Johnson, P.T.J. 2003. Limb deformities as an emerging parasitic disease in amphibians: evidence from museum specimens and resurvey data. *Conservat. Biol.* **17**:1724-1737.
- Kiesecker, J.M. 2004. Amphibian decline and emerging disease. *Amer. Sci.* **92**:138-147.
- Kiesecker, J.M., A.R. Blaustein, and C.L. Miller. 2001. Transfer of a pathogen from fish to amphibians. *Conservation Biology* **15**:1064-1070.
- Pfennig, D.W., M.L.G. Loeb, and J.P. Colins. 1991. Pathogens as a factor limiting the spread of cannibalism in tiger salamanders. *Oecologia* **88**:161-166.
- Torchin, M.E., K.D. Lafferty, A.P. Dobson, V.J. McKenzie, and A.M. Kuris. 2003. Introduced species and their missing parasites. *Nature* **421**:628-630.

D. Contaminants

- Blaustein, A.R. 2003. Ultraviolet radiation, toxic chemicals and amphibian population declines. *Diversity and Distributions* **9**:123-140.
- Brodman, R. 1993. The effect of acidity on interactions of *Ambystoma* salamander larvae. *Journal of Freshwater Ecology* **8**:209-214.
- Brodman, R., J. Ogger, A.P. Long, T. Bogard, R. Pulver, D. Falk, and K. Mancuso. 2003. Multivariate analyses of the influences of water chemistry and habitat parameters on the abundances of pond-breeding amphibians. *Journal of Freshwater Ecology* **18**:425-436.
- Kiesecker, J.M. 2002. Synergism between trematode infection and pesticide exposure: a link to limb deformities in nature? *Proc. Nat. Acad. Sci.* **99**:9900-9904.
- Rouse, J.D., C.A. Bishop, and J. Struger. 1999. Nitrogen pollution: An assessment of its threat to amphibian survival. *Environmental Health Perspectives* **107**:799-803.

E. Assessment of Management Technique

- Brodman, R. M. Parrish, H. Krouse, M. Parrish, and S. Cortwright. 2006. Amphibian biodiversity recovery in a large-scale ecosystem restoration. *Herpetological Conservation and Biology* **1**(2).
- Brodman, R., T. Anton, K. Glennmeier, P. Seth, D. Didion, and A. Luksus. 2005. Status of amphibians and reptiles in savanna habitats and savanna mosaic communities of the Chicago Wilderness Region. *Chicago Wilderness Journal* **3**:38-44.
- Congdon, J.D. 1994. Demographics of common snapping turtles (*Chelydra serpentina*): implications for conservation and management of long-lived organisms. *Amer. Zool.* **34**:397-408.
- Dalrymple, G.H. 1984. Management of an endangered species of snake in Ohio, U.S.A. *Biol. Conservat.* **30**:195-200.
- Diller, L.V. and R.L. Wallace. 1999. Distribution and habitat of *Ascaphus truei* in streams on managed, young growth forests in North Coastal California. *Journal of Herpetology* **33**:71-79.
- Fitzgerald, L. A., and C. W. Painter. 2000. Rattlesnake commercialization: Long-term trends, issues, and implications for conservation. *Wildl. Soc. Bull.* **28**:235-253.
- Fitzgerald, L.A. 1994. The interplay between life history and environmental stochasticity: Implications for the management of exploited lizard populations. *Amer. Zool.* **34**:371-381.
- Forsman, A. 1996. Resource dependent growth and body condition dynamics in juvenile snakes: An

experiment. *Ecologia* **108**:669-675.

- Hardy, D.L., S. 1999. Borderland blacktails: Radiotelemetry, natural history, and living with venomous snakes. Pages 117-121 in H. W. Greene, editor. *Toward Integrated Research, Land Management, and Ecosystem Protection in the Malpai Borderlands: Conference Summary*; 6-8 January 1999; Douglas, AZ. U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Mattingly, W.B. 2004. Resource use in arboreal habitats: structure affects locomotion of four ecomorphs of *Anolis* lizards. *Ecology* **85**:1111-1124.
- Prinsloo, J.F. 1981. Some observations on biological and other control measures of the African clawed frog *Xenopus laevis* (Daudin) (Pipidae, Amphibia) in fish ponds in Transkei. *Water South Africa* **7**:88-96.
- Roe, J.H. 2004. Comparative water snake ecology: conservation of mobile animals that use temporally dynamic resources. *Biol. Conservat.* **118**:79-89.
- Seigel, R.A. 2002. Translocations of amphibians: proven management method or experimental technique? *Conservat. Biol.* **16**:552-554.
- Semlitsch, R.D. 2000. Principles for management of aquatic-breeding amphibians. *J. Wildl. Manage.* **64**:615-631.
- Semlitsch, R.D. 2003. Biological criteria for buffer zones around wetlands and riparian habitats for amphibians and reptiles. *Conservat. Biol.* **17**:1219-1228.
- Simbotwe, M.P. 1990. Zoogeography of the herpetofauna of Botswana and its management implications. *Afr. J. Ecol.* **28**:103-110.
- Simbotwe, M.P. 1990. Zoogeography of the herpetofauna of Botswana and its management implications. *Afr. J. Ecol.* **28**:103-110.
- Willson, J.D. 2003. Effects of habitat disturbance on stream salamanders: Implications for buffer zones and watershed management. *Conservat. Biol.* **17**:763-771.

F. Agriculture/Urbanization Impacts

- Bock, C.E., H.M. Smith, and J.H. Bock. 1990. The effect of livestock grazing upon abundance of the lizard, *Sceloporus scalaris*, in Southeastern Arizona. *Journal of Herpetology* **24**:445-446.
- Guerry, A.D. 2002. Amphibian distributions in a landscape of forests and agriculture: an examination of landscape composition and configuration. *Conservat. Biol.* **16**:745-750.

- Riley, S.P.D., G.T. Busteed, L.B. Kats, T.L. Vandergon, L.F.S. Lee, R.G. Dagit, J.L. Kerby, R.N. Fisher, R.M. Sauvajot. 2005. Effects of urbanization on the distribution and abundance of amphibians and invasive species in Southern California streams. *Conservation Biology* **19**: 1894-1907.
- Rohr, J.R. 2006. Exposure, Postexposure, and Density-Mediated Effects of Atrazine on Amphibians: Breaking Down Net Effects into Their Parts. *Environmental Health Perspectives* **114**:46-50.
- Weyrauch, S.L., and T.C. Grubb, Jr. 2004. Patch and landscape characteristics associated with the distribution of woodland amphibians in an agricultural fragmented landscape: An information-theoretic approach. *Biological Conservation* **115**:443-450.

G. PVA's/Sustainable Harvest

- Lacava, J. 1984. Determining minimum viable population levels. *Wildl. Soc. Bull.* **12**:370-376.
- Semlitsch, R.D. 1998. Are small, isolated wetlands expendable? *Conservat. Biol.* **12**:1129-1133.
- Gilpin, M.E. 1994. Minimum viable populations: Processes of species extinction. Pages 19-34 *in* M. E. Soulé, editor. M.E. Soulé. Sinauer Associates, Inc., Sunderland, MA.
- Tinkle, D. W. 1973. A population analysis of the sagebrush lizard, *Sceloporus graciosus* in southern Utah. *Copeia* **1973**:284-296.
- Raveling, D.G. 1989. Relationships of population size and recruitment of Pintails to habitat conditions and harvest. *J. Wildl. Manage.* **53**:1088-1103.

H. Fragmentation/Loss/Degredation of Habitat

- Brooks, T.M., R.A. Mittermeier, C.G. Mittermeier, G.A.B. daFonseca, A.B. Rylands, W.R. Konstant, P. Flick, J. Pilgrim, S. Oldfield, G. Magin, C. Hilton-Taylor. 2002. Habitat loss and extinction in the hotspots of biodiversity. *Conservation Biology* **16**:909-923.
- deMaynadier, P.G. 1999. Forest canopy closure and juvenile emigration by pool-breeding amphibians in Maine. *J. Wildl. Manage.* **63**:441-450.
- Fish, M.R. 2006. Predicting the impact of sea-level rise on Caribbean sea turtle nesting habitat. *Conservat. Biol.* **19**:482-491.
- Kolozsvary, M.B. 1999. Habitat fragmentation and the distribution of amphibians: patch and landscape correlates in farmland. *Can. J. Zool.* **77**:1288-1299.

Leips, J. 2000. Response of treefrog larvae to drying ponds: Comparing temporary and permanent pond breeders. *Ecology* **81**:2997-3008.

Templeton, A.R. 2001. Disrupting evolutionary processes: the effect of habitat fragmentation on collared lizards in the Missouri Ozarks. *Proc. Nat. Acad. Sci.* **98**:5426-5432.

I. Standardization of Methods

Burghardt, G.M. 1996. Problem of reptile play: Environmental enrichment and play behavior in a captive Nile soft-shelled turtle, *Trionyx triunguis*. *Zoo Biol.* **15**:223-238.

Corn, P.S. 2000. A comparison in Colorado of three methods to monitor breeding amphibians. *Northwest. Nat.* **81**:22-30.

Dalrymple, G.H. 1981. Interactions between the prairie garter snake (*Thamnophis radix*) and the common garter snake (*T. sirtalis*) in Killdeer Plains, Wyandot County, Ohio. *Ohio Biol. Survey Notes* **15**:244-250.

Daly, J.W. 1987. Further classification of skin alkaloids from Neotropical poison frogs (Dendrobatidae), with a general survey of toxic/noxious substances in the Amphibia. *Toxicon* **25**:1023-1095.

Dhuey, B. 1995. Frog and toad survey, 1994. *Wisconsin Wildlife Surveys* **5**:108-113.

Genet, K.S. 2003. Evaluation of methods and data quality from a volunteer-based amphibian call survey. *Wildlife Soc. Bull.* **31**:703-714.

Gibbons, J. W., and R. D. Semlitsch. 1981. Terrestrial drift fences with pitfall traps: An effective technique for quantitative sampling of animal populations. *Brimleyana* **7**:1-16.

Goode, M.J. 2004. Effects of destructive collecting practices on reptiles: A field experiment. *J. Wildl. Manage.* **68**:429-434.

Greenberg, N. 1976. Thermoregulatory aspects of behavior in the blue spiny lizard *Sceloporus cyanogenys* (Sauria, Iguanidae). *Behaviour* **59**:1-21.

Johnson, P.T.J. 2003. Limb deformities as an emerging parasitic disease in amphibians: evidence from museum specimens and resurvey data. *Conservat. Biol.* **17**:1724-1737.

Mertz, L.E. 1997. A survey of amphibian and reptilian populations in Huron County, Michigan, with a comparative analysis of 1908 vs. 1996 species richness and relative abundance. Ph.D. Wayne State University.

Moll, E. O. 1962. Recent herpetological records for Illinois. *Herpetologica* **18**:207-209.

- Mossman, M.J. 1984. The Wisconsin frog and toad survey: Establishing a long-term monitoring program. Wisconsin Endangered Resources 9, Wisconsin Department of Natural Resources.
- Mossman, M.J. 1985. Wisconsin's frog and toad survey, 1984. Wisconsin Endangered Resources 16, Wisconsin Department of Natural Resources.
- Platt, S.G. 1999. Distribution and conservation status of selected amphibians and reptiles in the Piedmont of South Carolina. J. Elisha Mitchell Sci. Soc. **115**:8-19.
- Young, B.E. 2001. Population declines and priorities for amphibian conservation in Latin America. Conservat. Biol. **15**:1213-1223.

Last update: 6 Sept. 2007
Stephen J. Mullin
Dept. of Biological Sciences
Eastern Illinois University